SPECIFIC MOUNTING INSTRUCTIONS FOR DIFFERENT VAN MODELS

WARNINGS

Make sure that you read the mounting instructions -included in the package- carefully.

The measures indicated in the following pages are recommended but not compulsory.



KEEP YOUR VAN SAFE.

INDEX

CITROËN		MAN	
Nemo (2007)	3	TGE (3140)	25
Berlingo (2016)	4		
Jumpy (2017)	5	MERCEDES	
Jumper (2015)	6		10
		Citan (2012)	19
FIAT		Vito (2014)	20
		Sprinter (2006)	21
Fiorino (2016)	3	NICCAN	
Ducato (2017)	6	NISSAN	
Talento (2017)	8	NV-200 <i>(2014)</i>	22
Doblò (2017)	10	E-NV-200 (2014)	23
		NV-300 (2017)	8
FORD		NV-400 (2017)	9
Transit connect (2013)	15	ODE	
Transit courier (2014)	16	OPEL	
Transit custom (2012)	17		0
Transit T2 (2017)	18	Vivaro (2014)	8
		Movano (2011)	9
HYUNDAI		PEUGEOT	
H350 (2015)	24	Bipper (2007)	3
		Partner (2017)	4
IVECO		Expert (2016)	5
D 'l (224)		Boxer (2015)	6
Daily (2014)	11	20/0/	J

RENAULT Kangoo (2008) 7 Trafic (2014) 8 Master (2010) 9 TOYOTA 5 VOLKSWAGEN 5 Caddy (2015) 12 Transporter (2015) 13 Crafter (2017) 14








PEUGEOT BIPPER



FIAT FIORINO



CITROËN NEMO




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 71,4


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 26,9





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$






PEUGEOT PARTNER



CITROËN BERLINGO




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 72,4


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 13,9





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$










TOYOTA PROACE



CITROËN JUMPY




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 101,9


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 24,





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$










CITROËN JUMPER



FIAT DUCATO




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 99,4


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 8,4





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





RENAULT KANGOO




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 75


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 28





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$

BLACKSTONE



RENAULT TRAFIC








FIAT TALENTO

OPEL VIVARO NISSAN NV-300

INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 84


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 30





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$






RENAULT MASTER



NISSAN NV 400



OPEL MOVANO




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 103


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 20





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





FIAT DOBLO




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 70


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 10





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





IVECO DAILY




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 110


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 26





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





VOLKSWAGEN CADDY




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 55,5


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 39





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.


If $x \ge 12 \text{ mm}$





VOLKSWAGEN TRANSPORTER

INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 74


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 30





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





VOLKSWAGEN CRAFTER




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 74


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 30





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





FORD TRANSIT CONNECT




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 86


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 26





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





FORD TRANSIT COURIER




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 84


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 25,





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





FORD TRANSIT CUSTOM




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 98


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 37





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





FORD TRANSIT T2




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 105


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 23





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.


If $x \ge 12 \text{ mm}$





MERCEDES CITAN

INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 75

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 35,5





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





MERCEDES VITO




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 87

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 34





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





MERCEDES SPRINTER




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 106

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 30





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





NISSAN NV 200




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 93


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 49





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





NISSAN E-NV-200




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 93


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 49





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





HYUNDAI H350




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 101


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 25





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm


 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$





MAN TGE




! Place the drill template as shown in the picture.

Distance from **the bumper** to the central axis of the drill template

cm 131,5


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from **the door track** to the central axis of the drill template

cm 30





MEASURE X = FLAT PART OF THE DOOR

If x < 12 mm

 \rightarrow move the drill template 12-x mm towards the fixed door.

If $x \ge 12 \text{ mm}$